1988 ANNUAL INDEXES

Textile Research Journal

Volume 58

AUTHOR AND TITLE INDEX, pp. 743–749		SUBJECT INDEX, pp. 749–758	
MONTH	PAGES	MONTH	PAGES
January	1–60	July	371–432
February	61–122	August	433–494
March	123–184	September	495–556
April	185–246	October	557–618
May	247–308	November	619–680
June	309–370	December	681–758

AUTHOR AND TITLE INDEX

Abusamra, Lynda Effect of Glove Liners on Sweat Rate, Comfort, and Psychomotor Task Performance (*Branson, Hoener, Rice*) 166

Acar, M. Air-Jet Textured Yarns: The Effects of Process and Supply Yarn Parameters on the Properties of Textured Yarns (*Demir, Wray*) 318

Aggarwal, S. K. Prediction of Warp-Breakage Rate in Weaving (*Subramanian*) 11

Alaiban, T. S. Geometry and Dimensional Properties of Plain Loops Made of Rotor Spun Cotton Yarns Part I: Outline of Problem and Experimental Approach (*Banerjee*) 123

Geometry and Dimensional Properties of Plain Loops Made of Rotor Spun Cotton Yarns Part II: Area and Linear Parameters (*Banerjee*) 214

Geometry and Dimensional Properties of Plain Loops Made of Rotor Spun Cotton Yarns Part III: Spirality of the Wale Line (*Banerjee*) 287

Geometry and Dimensional Properties of Plain Loops Made of Rotor Spun Cotton Yarns Part IV: The Shape of the Loop (*Banerjee*) 365

Geometry and Dimensional Properties of Plain Loops Made of Rotor Spun Cotton Yarns Part V: Length of Loops (*Banerjee*) 422

Alberghina, Gaetano Donnan Approach to Equilibrium Sorption: Interactions of Cationic Dyes with Acrylic Fibers (*Chen, Fisichella, Iijima, McGregor, Rohner, Zollinger*) 345

Alger, Kenneth A. A Treatment Providing Enhanced Wet Wrinkle Recovery for Wool (*Needles, Okamoto*) ... 427

Alon, Gad Ovule Fibers as a Possible Source of Neps and Motes in Pima Cotton (*Elsner, Bar-Yecheskel*) 269

Altenhofen, Ulrich Basic Studies on the Stability of Filtration Fabrics Part I: The Effects of Sulphur Dioxide and Nitrogen Oxides on Polyacrylonitrile (*Weber, Zahn*) 507

Anantha Krishnan, S. R. Effect of Chemical Treatment on Mechanical Properties and Moisture Regain of Jute Fibers (*Varma, Krishnamoorthy*) 537

Effect of Chemical Treatment on Thermal Behavior of Jute Fibers (*Varma, Krishnamoorthy*) 486

Anthony, W. S. Neps in Ginned Lint: The Effect of Varieties, Harvesting, and Ginning Practices (*Meredith, Williford*) 633

Seed-Coat Fragments in Ginned Lint: The Effect of Varieties, Harvesting, and Ginning Practices (*Meredith, Williford, Mangialardi*) 111

Banerjee, P. K. Geometry and Dimensional Properties of Plain Loops Made of Rotor Spun Cotton Yarns Part I: Outline of Problem and Experimental Approach (*Alaiban*) 123

Geometry and Dimensional Properties of Plain Loops Made of Rotor Spun Cotton Yarns Part II: Area and Linear Parameters (*Alaiban*) 214

Geometry and Dimensional Properties of Plain Loops Made of Rotor Spun Cotton Yarns Part III: Spirality of the Wale Line (*Alaiban*) 287

Geometry and Dimensional Properties of Plain Loops Made of Rotor Spun Cotton Yarns Part IV: The Shape of the Loop (*Alaiban*) 365

Geometry and Dimensional Properties of Plain Loops Made of Rotor Spun Cotton Yarns Part V: Length of Loops (*Alaiban*) 422

Baker, R. V. Influence of Cotton Fiber Strength and Fineness on Fiber Damage During Lint Cleaning (*Dever, Gannaway*) 433

Barella, A. Predicting "Machine Twist" in Rotor Open-end Spun Cotton Yarns (*Castro, Manich, de Castellar*) .. 425

Strength at "Theoretically Null Twist" of Acrylic and Polyester/Cotton Rotor Spun Yarns: Application to Prediction of "Machine Twist" (*Manich, de Castellar, Castro*) 238

Bar-Yecheskel, Herzel Bleaching of Green Cotton Motes (*Elsner, Stern*) 363

Ovule Fibers as a Possible Source of Neps and Motes in Pima Cotton (*Elsner, Alon*) 269

Bateup, B. O. Selective Scouring of Dirt from Greasy Wool Part II: Laboratory Studies on the Effect of Greasy Wool Characteristics 667

Selective Scouring of Dirt from Greasy Wool Part III: Trials at Commercial Plants (*Warner*) 707

Berni, R. J. Chemical and Microscopical Analyses of Rained-on Cotton (*Sasser, Domelsmith, Perkins, Goynes*) .. 515

Bhat, N. V. Effects of Swelling Treatments on Fine Structure and Mechanical Properties of Cellophane Film (*Makwana*) 233

Blakeman, N. E. A Sonic Digitizer Technique for Measuring Medullation in Mohair (*Lupton, Pfeiffer*) 555

Boylston, E. K. Anatomy of a Nep (*Hebert, Thibodeaux*) 380

Branson, Donna H. Effect of Glove Liners on Sweat Rate, Comfort, and Psychomotor Task Performance (*Abusamra, Hoener, Rice*) 166

Brushwood, Donald E. Effects of Heating on Chemical and Physical Properties and Processing Quality of Cotton 309
Buchanan, D. R. Yarn Package Inspection with Computer Vision and Robotics (*Emery*) 605

Carlsson, D. J. Oxidation Behavior of High Strength Chain-Extended Polyethylene Fibers (*Colin, Chmela, Wiles*) 520
Carr, Christopher M. A Carbon-13 CPMAS Solid State NMR Spectroscopic Study of Wool: Effects of Heat and Chrome Mordanting (*Gerasimowicz*) 418
Carr, W. W. Frictional Characteristics of Apparel Fabrics (*Posey, Tincher*) 129
Carroll, B. J. Deposition of Liquid Drops on a Long Cylindrical Fiber 495
Castro, L. Predicting "Machine Twist" in Rotor Open-end Spun Cotton Yarns (*Barella, Manich, de Castellar*) 425
Strength at "Theoretically Null Twist" of Acrylic and Polyester/Cotton Rotor Spun Yarns: Application to Prediction of "Machine Twist" (*Manich, de Castellar, Barella*) 238
Cates, David M. 2,2'-Bipyridine Catalyzed Bleaching of Cotton Fibers with Peracetic Acid Part I: Kinetics and Mechanism of Peracetic Acid Decomposition in the Bleach Solution (*Rucker*) 148
2,2'-Bipyridine Catalyzed Bleaching of Cotton Fibers with Peracetic Acid Part II: Bleaching Mechanism (*Rucker*) 198
Cegarra, J. Dyeing by Integration (*Puente, Valldeperas, Pepio*) 645
Chandran, K. Comparative Evaluation of Yarn Hairiness by Different Methods (*Viswanathan, Munshi, Ukidve*) 477
Chanzy, H. Diffraction Contrast Transmission Electron Microscopy on Flax Fiber Ultrathin Cross Sections (*Näslund, Vuong, Jésior*) 414
Chattopadhyay, R. Influence of the Yarn Formation Process on Fiber Configuration in Rotor Spun Yarn 674
Chavan, R. B. Sublimation Transfer Printing of Polyester/Cotton Blends (*Langer*) 51
Cheikhrouhou, M. Influence of the Structure of Fabric Filters on the Velocity and Stress Fields of Filtration Flows in Their Vicinity (*Sigli*) 371
Chen, Shui-lin Donnan Approach to Equilibrium Sorption: Interactions of Cationic Dyes with Acrylic Fibers (*Alberghina, Fisichella, Iijima, McGregor, Rohner, Zollinger*) 345
Influence of Dye Size and Fiber Porosity on the Dyeing Kinetics and Time Lags in the Uptake of Cationic Dyes on Acrylic Fibers (*Rohner, Zollinger*) 247
Chidambareswaran, P. K. X-Ray Orientation of Equatorial Planes in Swollen and Stretched Cellulosic Fibers (*Sreenivasan, Krishna Iyer, Patil*) 299
Chmela, S. Oxidation Behavior of High Strength Chain-Extended Polyethylene Fibers (*Carlsson, Colin, Wiles*) 520
Coderch, L. New Advances in the Internal Lipid Composition of Wool (*Nogues, Julia, Erra*) 338
Colin, G. Oxidation Behavior of High Strength Chain-Extended Polyethylene Fibers (*Carlsson, Chmela, Wiles*) 520
Collier, Billie J. Processability and Properties of a Rayon/Nylon Composite Fiber (*Rabe, Collier*) 735
Collier, John R. Processability and Properties of a Rayon/Nylon Composite Fiber (*Rabe, Collier*) 735
Comelles, F. Use of Micellar Systems as Vehicles for Hercosett and Hydrogen Peroxide Finishing of Wool Fabrics (*de la Maza, Parra, Sánchez Leal*) 571
Cooney, J. D. Durability of Firefighters' Protective Clothing to Heat and Light (*Day, Suprunchuk*) 141
Cornell, H. J. Photoyellowing of Wool Pretreated with Chlorinated Solvents (*Mansour, Holt*) 246

Dawson, R. M. Filling Insertion by Rapier: A Kinematic Model (*Tümer*) 726
Day, M. Durability of Firefighters' Protective Clothing to Heat and Light (*Cooney, Suprunchuk*) 141
Debnath, C. R. Air Permeability of Blended Nonwoven Fabrics (*Subramaniam, Madhusoothanan*) 677
de Castellar, M. D. Predicting "Machine Twist" in Rotor Open-end Spun Cotton Yarns (*Barella, Castro, Manich*) 425
Strength at "Theoretically Null Twist" of Acrylic and Polyester/Cotton Rotor Spun Yarns: Application to Prediction of "Machine Twist" (*Manich, Barella, Castro*) 238
de la Maza, A. Use of Micellar Systems as Vehicles for Hercosett and Hydrogen Peroxide Finishing of Wool Fabrics (*Parra, Sánchez Leal, Comelles*) 571
Demir, A. Air-Jet Textured Yarns: The Effects of Process and Supply Yarn Parameters on the Properties of Textured Yarns (*Acar, Wray*) 318
Denby, E. F. A Quick Test for Measuring Fabric Dimensional Stability (*Ly, Hoschke*) 463
Deno, Satoru Chlorinating Silk with Methanesulfonyl Chloride in Dimethylformamide and Treating Chlorinated Silk with Mercaptans (*Sakamoto, Kumeno, Yamauchi, Nishimoto, Furuhata, Masuko*) 689
Dever, J. K. Influence of Cotton Fiber Strength and Fineness on Fiber Damage During Lint Cleaning (*Gannaway, Baker*) 433
Dhingra, R. Physical Ageing and Annealing in Fibers and Textile Materials Part V: Master Stress Relaxation Curves for Annealed Textile Materials (*Sukigara, Postle, Tao*) 543
Dhar, V. K. Nylon 6/PET Polymer Blends: Mechanical Properties of Fibers (*Varma*) 274
Domelsmith, Linda N. Chemical and Microscopical Analyses of Rained-on Cotton (*Berni, Sasser, Perkins, Goynes*) 515
Endotoxin Reduction in Cotton: Preparation of Yarn and Fabric from Detoxified Cotton (*Rousselle*) 469
Dowling, Lyndsay M. TEM and X-Ray Photoelectron Spectroscopic Studies of Wool Fibers After Cuticle Removal (*Jones, Leaver, Hughes*) 640

El-Farhaty, K. A. Analysis of Refractive Index Distribution in Anisotropic Polymeric Fibers with Regular and Irregular Transverse Sectional Shapes (*Hamza, Fouda*) 35
Elling, L. Characterization of Proteinaceous Contaminants Extracted from Merino Raw Wool (*Souren, Zahn*) .. 1
El Mogahzy, Yehia E. Selecting Cotton Fiber Properties for Fitting Reliable Equations to HVI Data 392
El-Shiekh, Aly Mechanics of High Speed Texturing Part II: Theoretical Analysis of Ring Twisting (*Kang, Li*) ... 653
Mechanics of High Speed Texturing Part III: Experimental Studies of Belt and Ring Twisting (*Li, Kang*) 719
Elsner, Otto Bleaching of Green Cotton Motes (*Bar-Yeheskel, Stern*) 363
Ovule Fibers as a Possible Source of Neps and Motes in Pima Cotton (*Alon, Bar-Yecheskel*) 269
Emery, N. B. Yarn Package Inspection with Computer Vision and Robotics (*Buchanan*) 605
Erra, P. New Advances in the Internal Lipid Composition of Wool (*Nogues, Coderch, Julia*) 338

Ferrero, Franco Particle Size Analysis of Inorganic Dirt in Raw Wool (*Marchese, Fornaro*) 526
Fisichella, Salvatore Donnan Approach to Equilibrium Sorption: Interactions of Cationic Dyes with Acrylic Fibers (*Alberghina, Chen, Iijima, McGregor, Rohner, Zollinger*) 345
Fleischfresser, B. E. Sorption of Carboxylic Acids by Wool: Effect of Solvents (*Smith*) 221
Fong, B. C. ^{19}F-NMR Spectrometric Method for Identifying the Structure of the Fluoroaliphatic Group in Fluorochemical Finishes 304

Fornaro, Giorgio Particle Size Analysis of Inorganic Dirt in Raw Wool (*Ferrero, Marchese*) 526
Fouda, I. M. Analysis of Refractive Index Distribution in Anisotropic Polymeric Fibers with Regular and Irregular Transverse Sectional Shapes (*Hamza, El-Farhaty*) .. 35
Fujii, Tomiko Spreading of Liquids in Textile Assemblies Part III: Application of an Image Analyzer System to Capillary Spreading of Liquids (*Kawase, Morimoto, Minagawa*) 306
Fukatsu, Kazuhiko Formation of Copper(II)-Wool Keratin Complexes 91
Furuhata, Ken-Ichi Chlorinating Silk with Methanesulfonyl Chloride in Dimethylformamide and Treating Chlorinated Silk with Mercaptans (*Sakamoto, Kumeno, Deno, Yamauchi, Nishimoto, Masuko*) 689

Gannaway, J. R. Influence of Cotton Fiber Strength and Fineness on Fiber Damage During Lint Cleaning (*Dever, Baker*) 433
Gerasimowicz, Walter V. A Carbon-13 CPMAS Solid State NMR Spectroscopic Study of Wool: Effects of Heat and Chrome Mordanting (*Carr*) 418
Girling, Reuben B. Analytical Potential of Raman Spectroscopy in Wool Textile Research (*Leaver, Hester*) 182
Goksoy, Mustafa An Alternative Design for Biaxial Rotation Fiber Fatigue Testing 210
Goynes, W. R. Chemical and Microscopical Analyses of Rained-on Cotton (*Berni, Sasser, Domelsmith, Perkins*) 515
Gu, Huang Pressure Angle in Loom Shedding Cam Design 444

Haas, Allen M. Pilot Slasher Yarn Drying Model Identification (*Reed, Williams*) 27
Hamza, A. A. Analysis of Refractive Index Distribution in Anisotropic Polymeric Fibers with Regular and Irregular Transverse Sectional Shapes (*Fouda, El-Farhaty*) ... 35
Hari, P. K. Mechanism of the Splice (*Kaushik, Sharma*) .. 263
Quantitative Contribution of Splice Elements (*Kaushik, Sharma*) 343
Hearle, J. W. S. Comments on "Yarn Tension as a Function of Extension: A New Approach" 60
Hebert, J. J. Anatomy of a Nep (*Boylston, Thibodeaux*) 380
Cottonseed Linters (*Thibodeaux*) 714
Hester, Ronald E. Analytical Potential of Raman Spectroscopy in Wool Textile Research (*Leaver, Girling*) ... 182
Hoener, Carolyn Effect of Glove Liners on Sweat Rate, Comfort, and Psychomotor Task Performance (*Branson, Abusamra, Rice*) 166
Hollies, N. R. S. Dynamic Moisture Vapor Transfer Through Textiles Part I: Clothing Hygrometry and the Influence of Fiber Type (*Hong, Spivak*) 697
Instrumental Techniques to Quantify Textural Change in Carpet Part II: Goniophotometry (*Jose, Spivak*) ... 185
Holt, L. A. Photoyellowing of Wool Pretreated with Chlorinated Solvents (*Mansour, Cornell*) 246
Hon, David N.-S. Stabilization of Cotton Fibers During Mechanical Cutting 575
Hong, K. Dynamic Moisture Vapor Transfer Through Textiles Part I: Clothing Hygrometry and the Influence of Fiber Type (*Hollies, Spivak*) 697
Hori, Teruo Change of Water States in Acrylic Fibers and Their Glass Transition Temperatures by DSC Measurements (*Zhang, Shimizu, Zollinger*) 227
Hoschke, B. N. A Quick Test for Measuring Fabric Dimensional Stability (*Ly, Denby*) 463
Howley, Phyllis S. Structure in "Amorphous Regions", Accessible Segments of Fibrils, of the Cotton Fiber (*Rowland*) 96
Hughes, Anthony E. TEM and X-Ray Photoelectron Spectroscopic Studies of Wool Fibers After Cuticle Removal (*Dowling, Jones, Leaver*) 640
Hughs, S. E. Relationship of Ginning and Fiber Properties to Dyeing Imperfections (*Lalor, Wahba*) 557
Hughson, G. W. Localized Electrostatic Precipitation as an Alternative to Exhaust Ventilation for Controlling Airborne Dust in Workplaces (*Johnston, Vincent, Jones*) 619

Igwe, G. J. I. Design of a Simple Gas and Solid Filtration Apparatus 280
Iijima, Toshiro Donnan Approach to Equilibrium Sorption: Interactions of Cationic Dyes with Acrylic Fibers (*Alberghina, Fisichella, McGregor, Rohner, Zollinger*) .. 345
Inagaki, Hiroshi Role of Nonkeratinous Proteins in Crimp Formation of Wool Fibers by Draft and Immediate Relaxation (*Umehara, Shibata, Masuda, Ito, Miyamoto*) 22
Ishtiaque, S. M. Configuration of Neps in Rotor Spun Yarn from Polyester Fibers (*Saxena*) 678
Fiber Damage at Higher Rotor Speeds 179
Rotor Yarn Structure by Cross-Sectional Microtomy (*Neckář, Švehlová*) 625
Ito, Hiraku Role of Nonkeratinous Proteins in Crimp Formation of Wool Fibers by Draft and Immediate Relaxation (*Umehara, Shibata, Masuda, Miyamoto, Inagaki*) 22

Jésior, J. C. Diffraction Contrast Transmission Electron Microscopy on Flax Fiber Ultrathin Cross Sections (*Näslund, Vuong, Chanzy*) 414
Jinks, Douglas D. Drying of Latex Backcoated Acrylic Fabrics: Heat Transfer Coefficients (*Matteson*) 681
Johnston, A. M. Localized Electrostatic Precipitation as an Alternative to Exhaust Ventilation for Controlling Airborne Dust in Workplaces (*Hughson, Vincent, Jones*) 619
Jones, A. D. Localized Electrostatic Precipitation as an Alternative to Exhaust Ventilation for Controlling Airborne Dust in Workplaces (*Johnston, Hughson, Vincent*) 619
Jones, Leslie N. TEM and X-Ray Photoelectron Spectroscopic Studies of Wool Fibers After Cuticle Removal (*Dowling, Leaver, Hughes*) 640
Jose, D. J. Instrumental Techniques to Quantify Textural Change in Carpet Part II: Goniophotometry (*Hollies, Spivak*) 185
Julia, R. New Advances in the Internal Lipid Composition of Wool (*Nogues, Coderch, Erra*) 338

Kang, Tae Jin Mechanics of High Speed Texturing Part II: Theoretical Analysis of Ring Twisting (*Li, El-Shiekh*) 653
Mechanics of High Speed Texturing Part III: Experimental Studies of Belt and Ring Twisting (*Li, El-Shiekh*) 719
Kashiwagi, Maresuke Color Fading Behavior of Anthraquinone Dyes Due to Environmental Conditions (*Saito, Minemura, Nanashima*) 450
Katovic, Drago Effect of Condensation Temperature on Formaldehyde Release from Durable Press Fabrics (*Soljacic*) 552
Kaushik, R. C. D. Mechanism of the Splice (*Hari, Sharma*) 263
Quantitative Contribution of Splice Elements (*Hari, Sharma*) 343
Kawase, Tokuzo Spreading of Liquids in Textile Assemblies Part III: Application of an Image Analyzer System to Capillary Spreading of Liquids (*Morimoto, Fujii, Minagawa*) 306
Kimmel, L. B. New Technique to Produce a Cotton/Polyester Blend Yarn with Improved Strength (*Sawhney, Ruppenicker, Salaun, Robert*) 601
Kottes Andrews, B. A. A Vapor Transport Method for Estimating Free Formaldehyde in Solutions of Textile Chemicals (*Reinhardt*) 409
Influence of Prolonged Storage on Formaldehyde Liberation from Durable Press Textiles (*Reinhardt, Trask-Morrell*) 255

Krishna Iyer, K. R. Reply to "Comments on 'Yarn Tension as a Function of Extension: A New Approach' " (*Nachane*) 122
X-Ray Orientation of Equatorial Planes in Swollen and Stretched Cellulosic Fibers (*Sreenivasan, Chidambareswaran, Patil*) 299
Krishnamoorthy, S. Effect of Chemical Treatment on Mechanical Properties and Moisture Regain of Jute Fibers (*Varma, Anantha Krishnan*) 537
Effect of Chemical Treatment on Thermal Behavior of Jute Fibers (*Varma, Anantha Krishnan*) 486
Krucińska, Izabella Fiber Blending Irregularities in Cross Sections and on Yarn Surfaces in Relation to Yarn Properties 291
Kumeno, Yasuhiko Chlorinating Silk with Methanesulfonyl Chloride in Dimethylformamide and Treating Chlorinated Silk with Mercaptans (*Sakamoto, Deno, Yamauchi, Nishimoto, Furuhata, Masuko*) 689
Kuwabara, Shigeru Dyeing Nylon Films with Acid Dyes Modified with Various Normal Alkylamines 329

Lalor, W. F. Relationship of Ginning and Fiber Properties to Dyeing Imperfections (*Hughs, Wahba*) 557
Langer, M. Hanif Sublimation Transfer Printing of Polyester/Cotton Blends (*Chavan*) 51
Leaver, Ian H. Analysis of Wool Lipids Using Thin-Layer Chromatography with Flame Ionization Detection (*Lewis, Westmoreland*) 593
Analytical Potential of Raman Spectroscopy in Wool Textile Research (*Hester, Girling*) 182
TEM and X-Ray Photoelectron Spectroscopic Studies of Wool Fibers After Cuticle Removal (*Dowling, Jones, Hughes*) 640
Lewis, David M. Analysis of Wool Lipids Using Thin-Layer Chromatography with Flame Ionization Detection (*Leaver, Westmoreland*) 593
Li, Wei Mechanics of High Speed Texturing Part II: Theoretical Analysis of Ring Twisting (*Kang, El-Shiekh*) 653
Mechanics of High Speed Texturing Part III: Experimental Studies of Belt and Ring Twisting (*Kang, El-Shiekh*) 719
Little, Trevor J. Sewing Dynamics Part I: Measuring Sewing Machine Forces at High Speeds (*Matthews*) 383
Lord, Peter R. A Comparison of Various Woven Fabrics Containing Friction, Rotor, and Ring Spun Cotton Yarn Fillings (*Radhakrishnaiah*) 354
Luo, Ze-wei Optimizing the Complex Formulation of Boiling-off Liquor for Ramie Chemical Degumming (*Zheng, Zhang*) 663
Lupton, C. J. A Sonic Digitizer Technique for Measuring Medullation in Mohair (*Blakeman, Pfeiffer*) 555
Ly, N. G. A Quick Test for Measuring Fabric Dimensional Stability (*Denby, Hoschke*) 463

Madhusoothanan, M. Air Permeability of Blended Nonwoven Fabrics (*Subramaniam, Debnath*) 677
Makwana, D. N. Effects of Swelling Treatments on Fine Structure and Mechanical Properties of Cellophane Film (*Bhat*) 233
Mangialardi, G. J. Seed-Coat Fragments in Ginned Lint: The Effect of Varieties, Harvesting, and Ginning Practices (*Anthony, Meredith, Williford*) 111
Manich, A. M. Predicting "Machine Twist" in Rotor Open-end Spun Cotton Yarns (*Barella, Castro, de Castellar*) 425
Strength at "Theoretically Null Twist" of Acrylic and Polyester/Cotton Rotor Spun Yarns: Application to Prediction of "Machine Twist" (*de Castellar, Barella, Castro*) 238
Mansour, M. P. Photoyellowing of Wool Pretreated with Chlorinated Solvents (*Cornell, Holt*) 246
Marchese, Franco Particle Size Analysis of Inorganic Dirt in Raw Wool (*Ferrero, Fornaro*) 526
Masuda, Yoshihiko Role of Nonkeratinous Proteins in Crimp Formation of Wool Fibers by Draft and Immediate Relaxation (*Umehara, Shibata, Ito, Miyamoto, Inagaki*) 22
Masuko, Fumi Chlorinating Silk with Methanesulfonyl Chloride in Dimethylformamide and Treating Chlorinated Silk with Mercaptans (*Sakamoto, Kumeno, Deno, Yamauchi, Nishimoto, Furuhata*) 689
Matteson, Michael J. Drying of Latex Backcoated Acrylic Fabrics: Heat Transfer Coefficients (*Jinks*) 681
Matthews, B. Ann Sewing Dynamics Part I: Measuring Sewing Machine Forces at High Speeds (*Little*) 383
McGregor, Ralph Donnan Approach to Equilibrium Sorption: Interactions of Cationic Dyes with Acrylic Fibers (*Alberghina, Chen, Fisichella, Iijima, Rohner, Zollinger*) 345
McKinnon, A. John Surfactant Solution Transport in Wool Yarn Part III: Immersion Absorption (*McLaughlin, Trounson, Stewart*) 501
McLaughlin, John R. Surfactant Solution Transport in Wool Yarn Part II: Influence of Scouring, Prewetting, and Rewetting Surfactants (*Trounson, Robinson*) 455
Surfactant Solution Transport in Wool Yarn Part III: Immersion Absorption (*Trounson, Stewart, McKinnon*) 501
Meredith, W. R., Jr. Neps in Ginned Lint: The Effect of Varieties, Harvesting, and Ginning Practices (*Anthony, Williford*) 633
Seed-Coat Fragments in Ginned Lint: The Effect of Varieties, Harvesting, and Ginning Practices (*Anthony, Williford, Mangialardi*) 111
Militký, J. More Comments on "Optimization of a Single-Stage Preparatory Process for Cotton Using Sodium Hypochlorite" 672
Miller, Bernard Dynamics of Water Vapor Transmission Through Fabric Barriers (*Wehner, Rebenfeld*) 581
Minagawa, Motoi Spreading of Liquids in Textile Assemblies Part III: Application of an Image Analyzer System to Capillary Spreading of Liquids (*Kawase, Morimoto, Fujii*) 306
Minemura, Chizuyo Color Fading Behavior of Anthraquinone Dyes Due to Environmental Conditions (*Saito, Nanashima, Kashiwagi*) 450
Miyamoto, Takeaki Role of Nonkeratinous Proteins in Crimp Formation of Wool Fibers by Draft and Immediate Relaxation (*Umehara, Shibata, Masuda, Ito, Inagaki*) 22
Morimoto, Yoshiko Spreading of Liquids in Textile Assemblies Part III: Application of an Image Analyzer System to Capillary Spreading of Liquids (*Kawase, Fujii, Minagawa*) 306
Munshi, V. G. Comparative Evaluation of Yarn Hairiness by Different Methods (*Viswanathan, Ukidve, Chandran*) 477

Nachane, R. P. Reply to "Comments on 'Yarn Tension as a Function of Extension: A New Approach' " (*Krishna Iyer*) 122
Nanashima, Naomi Color Fading Behavior of Anthraquinone Dyes Due to Environmental Conditions (*Saito, Minemura, Kashiwagi*) 450
Näslund, P. Diffraction Contrast Transmission Electron Microscopy on Flax Fiber Ultrathin Cross Sections (*Vuong, Chanzy, Jésior*) 414
Nason, D. A Nonaqueous Method for Sizing Wool Yarns: Preliminary Work 116
Natarajan, K. S. Wicking in Siro Spun Yarns (*Subramaniam, Peer Mohammed, Nirmala Many*) 302
Naylor, G. R. S. Effect of Relative Humidity on the Pilling of Wool Knitwear 615

Neckář, B. Rotor Yarn Structure by Cross-Sectional Microtomy (*Ishtiaque, Švehlová*) ... 625
Needles, Howard L. A Treatment Providing Enhanced Wet Wrinkle Recovery for Wool (*Okamoto, Alger*) ... 427
Nirmala Many, S. Wicking in Siro Spun Yarns (*Subramaniam, Natarajan, Peer Mohammed*) ... 302
Nishimoto, Makoto Chlorinating Silk with Methanesulfonyl Chloride in Dimethylformamide and Treating Chlorinated Silk with Mercaptans (*Sakamoto, Kumeno, Deno, Yamauchi, Furuhata, Masuko*) ... 689
Niwa, Masako Durability of Hand in Spandex Blend Fabrics (*Yokura*) ... 398
Nkeonye, Peter O. Infrared Studies of the Reaction Products of Phosphonated and Carboxylated Reactive Dyes with Cellulose (*Rattee*) ... 57
Nogues, B. New Advances in the Internal Lipid Composition of Wool (*Coderch, Julia, Erra*) ... 338

Okamoto, Robert A Treatment Providing Enhanced Wet Wrinkle Recovery for Wool (*Needles, Alger*) ... 427

Pailthorpe, M. T. Objective Measurement of the Electrostatic Propensity of Carpets ... 335
Pan, N. A New Approach to the Objective Evaluation of Fabric Handle from Mechanical Properties Part I: Objective Measure for Total Handle (*Yen, Zhao, Yang*) ... 438
A New Approach to the Objective Evaluation of Fabric Handle from Mechanical Properties Part II: Objective Measures for Primary Handle (*Yen, Zhao, Yang*) ... 531
A New Approach to the Objective Evaluation of Fabric Handle from Mechanical Properties Part III: Fuzzy Cluster Analysis for Fabric Handle Sorting (*Yen, Zhao, Yang*) ... 565
Parra, J. L. Use of Micellar Systems as Vehicles for Hercosett and Hydrogen Peroxide Finishing of Wool Fabrics (*de la Maza, Sánchez Leal, Comelles*) ... 571
Patel, N. B. Thermal Analysis of Heat Set Poly(ethylene Terephthalate) and the Heat Setting Temperature (*Sarma*) ... 429
Patil, N. B. X-Ray Orientation of Equatorial Planes in Swollen and Stretched Cellulosic Fibers (*Sreenivasan, Krishna Iyer, Chidambareswaran*) ... 299
Peer Mohammed, A. Wicking in Siro Spun Yarns (*Subramaniam, Natarajan, Nirmala Many*) ... 302
Pepio, M. Dyeing by Integration (*Cegarra, Puente, Valldeperas*) ... 645
Perkins, Henry H. Chemical and Microscopical Analyses of Rained-on Cotton (*Berni, Sasser, Domelsmith, Goynes*) 515
Spin Finishes for Cotton ... 173
Pfeiffer, F. A. A Sonic Digitizer Technique for Measuring Medullation in Mohair (*Blakeman, Lupton*) ... 555
Posey, J. E. Frictional Characteristics of Apparel Fabrics (*Carr, Tincher*) ... 129
Postle, R. Physical Ageing and Annealing in Fibers and Textile Materials Part V: Master Stress Relaxation Curves for Annealed Textile Materials (*Sukigara, Dhingra, Tao*) 543
Prosser, Robert A. Penetration of Nylon Ballistic Panels by Fragment-Simulating Projectiles Part I: A Linear Approximation to the Relationship Between the Square of the V_{50} or V_c Striking Velocity and the Number of Layers of Cloth in the Ballistic Panel ... 61
Penetration of Nylon Ballistic Panels by Fragment-Simulating Projectiles Part II: Mechanism of Penetration 161
Puente, P. Dyeing by Integration (*Cegarra, Valldeperas, Pepio*) ... 645

Rabe, Richard L. Processability and Properties of a Rayon/Nylon Composite Fiber (*Collier, Collier*) ... 735
Radhakrishnaiah, P. A Comparison of Various Woven Fabrics Containing Friction, Rotor, and Ring Spun Cotton Yarn Fillings (*Lord*) ... 354
Rattee, Ian D. Infrared Studies of the Reaction Products of Phosphonated and Carboxylated Reactive Dycs with Cellulose (*Nkeonye*) ... 57
Rebenfeld, Ludwig Dynamics of Water Vapor Transmission Through Fabric Barriers (*Wehner, Miller*) ... 581
Reed, Morton W. Pilot Slasher Yarn Drying Model Identification (*Haas, Williams*) ... 27
Reinhardt, Robert M. A Vapor Transport Method for Estimating Free Formaldehyde in Solutions of Textile Chemicals (*Kottes Andrews*) ... 409
Influence of Prolonged Storage on Formaldehyde Liberation from Durable Press Textiles (*Kottes Andrews, Trask-Morrell*) ... 255
Rice, Sandra Effect of Glove Liners on Sweat Rate, Comfort, and Psychomotor Task Performance (*Branson, Abusamra, Hoener*) ... 166
Robert, K. Q. New Technique to Produce a Cotton/Polyester Blend Yarn with Improved Strength (*Sawhney, Ruppenicker, Kimmel, Salaun*) ... 601
Robinson, Peter W. Surfactant Solution Transport in Wool Yarn Part II: Influence of Scouring, Prewetting, and Rewetting Surfactants (*Trounson, McLaughlin*) ... 455
Rodgers, James E. Effects of Various Suessen Heat Setting Variables on Thermal Stress Analysis Measurement 7
Rohner, Rolf M. Donnan Approach to Equilibrium Sorption: Interactions of Cationic Dyes with Acrylic Fibers (*Alberghina, Chen, Fisichella, Iijima, McGregor, Zollinger*) 345
Influence of Dye Size and Fiber Porosity on the Dyeing Kinetics and Time Lags in the Uptake of Cationic Dyes on Acrylic Fibers (*Chen, Zollinger*) ... 247
Rousselle, Marie-Alice Endotoxin Reduction in Cotton: Preparation of Yarn and Fabric from Detoxified Cotton (*Domelsmith*) ... 469
Rowland, Stanley P. Structure in "Amorphous Regions", Accessible Segments of Fibrils, of the Cotton Fiber (*Howley*) ... 96
Rucker, James W. 2,2'-Bipyridine Catalyzed Bleaching of Cotton Fibers with Peracetic Acid Part I: Kinetics and Mechanism of Peracetic Acid Decomposition in the Bleach Solution (*Cates*) ... 148
2,2'-Bipyridine Catalyzed Bleaching of Cotton Fibers with Peracetic Acid Part II: Bleaching Mechanism (*Cates*) 198
Ruppenicker, G. F. New Technique to Produce a Cotton/Polyester Blend Yarn with Improved Strength (*Sawhney, Kimmel, Salaun, Robert*) ... 601

Saito, Masako Color Fading Behavior of Anthraquinone Dyes Due to Environmental Conditions (*Minemura, Nanashima, Kashiwagi*) ... 450
Sakamoto, Munenori Chlorinating Silk with Methanesulfonyl Chloride in Dimethylformamide and Treating Chlorinated Silk with Mercaptans (*Kumeno, Deno, Yamauchi, Nishimoto, Furuhata, Masuko*) ... 689
Salaun, H. L. New Technique to Produce a Cotton/Polyester Blend Yarn with Improved Strength (*Sawhney, Ruppenicker, Kimmel, Robert*) ... 601
Sánchez Leal, J. Use of Micellar Systems as Vehicles for Hercosett and Hydrogen Peroxide Finishing of Wool Fabrics (*de la Maza, Parra, Comelles*) ... 571
Sarma, T. S. Thermal Analysis of Heat Set Poly(ethylene Terephthalate) and the Heat Setting Temperature (*Patel*) ... 429
Sasser, P. E. Chemical and Microscopical Analyses of Rained-on Cotton (*Berni, Domelsmith, Perkins, Goynes*) ... 515
Sawhney, A. P. S. New Technique to Produce a Cotton/Polyester Blend Yarn with Improved Strength (*Ruppenicker, Kimmel, Salaun, Robert*) ... 601

Saxena, Ajay Kumar Configuration of Neps in Rotor Spun Yarn from Polyester Fibers (*Ishtiaque*) 678
Sharma, I. C. Mechanism of the Splice (*Kaushik, Hari*) .. 263
Quantitative Contribution of Splice Elements (*Kaushik, Hari*) 343
Shibata, Yutaka Role of Nonkeratinous Proteins in Crimp Formation of Wool Fibers by Draft and Immediate Relaxation (*Umehara, Masuda, Ito, Miyamoto, Inagaki*) 22
Shimizu, Toru Change of Water States in Acrylic Fibers and Their Glass Transition Temperatures by DSC Measurements (*Hori, Zhang, Zollinger*) 227
Sigli, D. Influence of the Structure of Fabric Filters on the Velocity and Stress Fields of Filtration Flows in Their Vicinity (*Cheikhrouhou*) 371
Sivakumar, M. An Apparatus for Studying the Shear Behavior of Fabrics (*Subramaniam*) 430
Smith, G. C. Sorption of Carboxylic Acids by Wool: Effect of Solvents (*Fleischfresser*) 221
Soljacic, Ivo Effect of Condensation Temperature on Formaldehyde Release from Durable Press Fabrics (*Katovic*) 552
Souren, I. Characterization of Proteinaceous Contaminants Extracted from Merino Raw Wool (*Elling, Zahn*) .. 1
Spivak, S. M. Dynamic Moisture Vapor Transfer Through Textiles Part I: Clothing Hygrometry and the Influence of Fiber Type (*Hong, Hollies*) 697
Instrumental Techniques to Quantify Textural Change in Carpet Part II: Goniophotometry (*Jose, Hollies*) .. 185
Sreenivasan, S. X-Ray Orientation of Equatorial Planes in Swollen and Stretched Cellulosic Fibers (*Krishna Iyer, Chidambareswaran, Patil*) 299
Stern, Gershon Bleaching of Green Cotton Motes (*Elsner, Bar-Yecheskel*) 363
Stewart, Rex G. Surfactant Solution Transport in Wool Yarn Part III: Immersion Absorption (*McLaughlin, Trounson, McKinnon*) 501
Subramaniam, V. Air Permeability of Blended Nonwoven Fabrics (*Madhusoothanan, Debnath*) 677
An Apparatus for Studying the Shear Behavior of Fabrics (*Sivakumar*) 430
Wicking in Siro Spun Yarns (*Natarajan, Peer Mohammed, Nirmala Many*) 302
Subramanian, T. A. Prediction of Warp-Breakage Rate in Weaving (*Aggarwal*) 11
Sukigara, Sachiko Physical Ageing and Annealing in Fibers and Textile Materials Part V: Master Stress Relaxation Curves for Annealed Textile Materials (*Dhingra, Postle, Tao*) 543
Suprunchuk, T. Durability of Firefighters' Protective Clothing to Heat and Light (*Day, Cooney*) 141
Švehlová, L. Rotor Yarn Structure by Cross-Sectional Microtomy (*Neckář, Ishtiaque*) 625

Tao, Xiaoming Physical Ageing and Annealing in Fibers and Textile Materials Part V: Master Stress Relaxation Curves for Annealed Textile Materials (*Sukigara, Dhingra, Postle*) 543
Teasdale, D. C. Length of Wool Snippets for Mean Fiber Diameter Measurement (*Thompson*) 303
Thibodeaux, D. P. Anatomy of a Nep (*Hebert, Boylston*) 380
Cottonseed Linters (*Hebert*) 714
Thompson, B. Length of Wool Snippets for Mean Fiber Diameter Measurement (*Teasdale*) 303
Tincher, W. C. Frictional Characteristics of Apparel Fabrics (*Carr, Posey*) 129
Trask-Morrell, B. J. Influence of Prolonged Storage on Formaldehyde Liberation from Durable Press Textiles (*Kottes Andrews, Reinhardt*) 255
Trounson, Mary E. Surfactant Solution Transport in Wool Yarn Part II: Influence of Scouring, Prewetting, and Rewetting Surfactants (*McLaughlin, Robinson*) 455
Surfactant Solution Transport in Wool Yarn Part III: Immersion Absorption (*McLaughlin, Stewart, McKinnon*) 501
Tsubouchi, Kozo Thickness of the Still Air Layer Adhering to Perforated Plastic Plates and Fabric 86
Tümer, S. T. Filling Insertion by Rapier: A Kinematic Model (*Dawson*) 726

Ukidve, A. V. Comparative Evaluation of Yarn Hairiness by Different Methods (*Viswanathan, Munshi, Chandran*) 477
Ukponmwan, David O. Fastness Properties of Substituted Diamino-2-Methoxy-Anthraquinone Dyes 181
Umehara, Ryo Role of Nonkeratinous Proteins in Crimp Formation of Wool Fibers by Draft and Immediate Relaxation (*Shibata, Masuda, Ito, Miyamoto, Inagaki*) 22

Valldeperas, J. Dyeing by Integration (*Cegarra, Puente, Pepio*) 645
Varma, D. S. Nylon 6/PET Polymer Blends: Mechanical Properties of Fibers (*Dhar*) 274
Varma, I. K. Effect of Chemical Treatment on Mechanical Properties and Moisture Regain of Jute Fibers (*Anantha Krishnan, Krishnamoorthy*) 537
Effect of Chemical Treatment on Thermal Behavior of Jute Fibers (*Anantha Krishnan, Krishnamoorthy*) ... 486
Vincent, J. H. Localized Electrostatic Precipitation as an Alternative to Exhaust Ventilation for Controlling Airborne Dust in Workplaces (*Johnston, Hughson, Jones*) 619
Viswanathan, G. Comparative Evaluation of Yarn Hairiness by Different Methods (*Munshi, Ukidve, Chandran*) 477
Vuong, R. Diffraction Contrast Transmission Electron Microscopy on Flax Fiber Ultrathin Cross Sections (*Näslund, Chanzy, Jésior*) 414

Wahba, F. T. Relationship of Ginning and Fiber Properties to Dyeing Imperfections (*Hughs, Lalor*) 557
Walls, G. W. Biaxial Compression of Hot Greasy Wool to High Densities and Its Subsequent Storage 137
Minimum Volume Pressing of Greasy Wool 43
Pressing a Range of Wools in Instrumented Minimum Volume Presses 102
Processing of Greasy Merino Wools Compressed to Very High Densities 191
Warner, J. J. Selective Scouring of Dirt from Greasy Wool Part III: Trials at Commercial Plants (*Bateup*) 707
Weber, Claudia Basic Studies on the Stability of Filtration Fabrics Part I: The Effects of Sulphur Dioxide and Nitrogen Oxides on Polyacrylonitrile (*Altenhofen, Zahn*) 507
Wehner, John A. Dynamics of Water Vapor Transmission Through Fabric Barriers (*Miller, Rebenfeld*) 581
Welch, Clark M. Tetracarboxylic Acids as Formaldehyde-Free Durable Press Finishing Agents Part I: Catalyst, Additive, and Durability Studies 480
Westmoreland, David J. Analysis of Wool Lipids Using Thin-Layer Chromatography with Flame Ionization Detection (*Leaver, Lewis*) 593
Wiles, D. M. Oxidation Behavior of High Strength Chain-Extended Polyethylene Fibers (*Colin, Chmela*) 520
Williams, Dennis C. Pilot Slasher Yarn Drying Model Identification (*Haas, Reed*) 27
Williford, J. R. Neps in Ginned Lint: The Effect of Varieties, Harvesting, and Ginning Practices (*Anthony, Meredith*) 633
Seed-Coat Fragments in Ginned Lint: The Effect of Varieties, Harvesting, and Ginning Practices (*Anthony, Meredith, Mangialardi*) 111
Wray, G. R. Air-Jet Textured Yarns: The Effects of Process and Supply Yarn Parameters on the Properties of Textured Yarns (*Demir, Acar*) 318

Yamauchi, Tatsuo Chlorinating Silk with Methanesulfonyl Chloride in Dimethylformamide and Treating Chlori-

nated Silk with Mercaptans (*Sakamoto, Kumeno, Deno, Nishimoto, Furuhata, Masuko*) 689
Yang, S. R. A New Approach to the Objective Evaluation of Fabric Handle from Mechanical Properties Part I: Objective Measure for Total Handle (*Pan, Yen, Zhao*) 438
A New Approach to the Objective Evaluation of Fabric Handle from Mechanical Properties Part II: Objective Measures for Primary Handle (*Pan, Yen, Zhao*) 531
A New Approach to the Objective Evaluation of Fabric Handle from Mechanical Properties Part III: Fuzzy Cluster Analysis for Fabric Handle Sorting (*Pan, Yen, Zhao*) 565
Yen, K. C. A New Approach to the Objective Evaluation of Fabric Handle from Mechanical Properties Part I: Objective Measure for Total Handle (*Pan, Zhao, Yang*) 438
A New Approach to the Objective Evaluation of Fabric Handle from Mechanical Properties Part II: Objective Measures for Primary Handle (*Pan, Zhao, Yang*) ... 531
A New Approach to the Objective Evaluation of Fabric Handle from Mechanical Properties Part III: Fuzzy Cluster Analysis for Fabric Handle Sorting (*Pan, Zhao, Yang*) 565
Yokura, Hiroko Durability of Hand in Spandex Blend Fabrics (*Niwa*) 398

Zahn, Helmut Basic Studies on the Stability of Filtration Fabrics Part I: The Effects of Sulphur Dioxide and Nitrogen Oxides on Polyacrylonitrile (*Weber, Altenhofen*) 507
Characterization of Proteinaceous Contaminants Extracted from Merino Raw Wool (*Elling, Souren*) ... 1
Zhang, Hu-sheng Change of Water States in Acrylic Fibers and Their Glass Transition Temperatures by DSC Measurements (*Hori, Shimizu, Zollinger*) 227
Zhang, Ze Optimizing the Complex Formulation of Boiling-off Liquor for Ramie Chemical Degumming (*Zheng, Luo*) 663
Zhao, S. J. A New Approach to the Objective Evaluation of Fabric Handle from Mechanical Properties Part I: Objective Measure for Total Handle (*Pan, Yen, Yang*) 438
A New Approach to the Objective Evaluation of Fabric Handle from Mechanical Properties Part II: Objective Measures for Primary Handle (*Pan, Yen, Yang*) 531
A New Approach to the Objective Evaluation of Fabric Handle from Mechanical Properties Part III: Fuzzy Cluster Analysis for Fabric Handle Sorting (*Pan, Yen, Yang*) 565
Zheng, Yangang Optimizing the Complex Formulation of Boiling-off Liquor for Ramie Chemical Degumming (*Zhang, Luo*) 663
Zollinger, Heinrich Change of Water States in Acrylic Fibers and Their Glass Transition Temperatures by DSC Measurements (*Hori, Zhang, Shimizu*) 227
Donnan Approach to Equilibrium Sorption: Interactions of Cationic Dyes with Acrylic Fibers (*Alberghina, Chen, Fisichella, Iijima, McGregor, Rohner*) 345
Influence of Dye Size and Fiber Porosity on the Dyeing Kinetics and Time Lags in the Uptake of Cationic Dyes on Acrylic Fibers (*Chen, Rohner*) 247

SUBJECT INDEX

Abrasion
of fibers at high rotor speeds: study of polyester/rayon blends *Ishtiaque* 179
Acrylics
cationic dyes on acrylic fibers: Donnan approach to equilibrium sorption *Alberghina, Chen, Fisichella, Iijima, McGregor, Rohner, Zollinger* 345
change of water states in fibers: glass transition temperatures by DSC measurements: dyeing procedures *Hori, Zhang, Shimizu, Zollinger* 227
dyeing by integration: discrete additions of dye to the solution throughout the process: also wool fibers *Cegarra, Puente, Valldeperas, Pepio* 645
dyeing kinetics of: influence of dye size and fiber porosity on kinetics and time lags in the uptake of cationic dyes *Chen, Rohner, Zollinger* 247
latex backcoated fabrics: heat transfer coefficients for drying of: mathematical analysis for energy conservation *Jinks, Matteson* 681
strength at theoretically null twist: application to machine twist: also polyester/cotton rotor spun yarns *Manich, de Castellar, Barella, Castro* 238
Ageing
of wool, polyester, and wool/polyester blends: and annealing in textile materials: master stress relaxation curves for annealed materials *Sukigara, Dhingra, Postle, Tao* 543
Asbestos
contaminated dust in factory: electrostatic precipitation as an alternative to exhaust ventilation for controlling airborne dust in textile workplaces *Johnston, Hughson, Vincent, Jones* 619

Ballistics
penetration of nylon ballistic panels: fragment-simulating projectiles: a linear approximation to the relationship between the square of the striking velocity and the number of layers of cloth in the panel *Prosser* 61
penetration of nylon ballistic panels: fragment-simulating projectiles: mechanism of penetration *Prosser* ... 161
Birefringence
of filtration flows through fabric filters: influence of filter structure on velocity and stress fields of flows in their vicinity *Cheikhrouhou, Sigli* 371
of nylon and polyamide fibers: analysis of refractive index distribution in anisotropic polymeric fibers with regular and irregular transverse sectional shapes *Hamza, Fouda, El-Farhaty* 35

Bleaching
of cotton with peracetic acid: 2,2'-bipyridine catalyzed bleaching: kinetics and mechanism of acid decomposition in bleach solution without fibers *Rucker, Cates* 148
of cotton with peracetic acid: 2,2'-bipyridine catalyzed bleaching: the bleaching mechanism *Rucker, Cates* 198
of green motes in Pima cotton: a combination process *Elsner, Bar-Yecheskel, Stern* 363
sodium hypochlorite bleaching: optimization of a single-stage preparatory process for cotton: more comments *Militký* 672
Blends
rayon/nylon sheath-core bicomponent blend: processability and mechanical and sorptive properties *Rabe, Collier, Collier* 735
Byssinosis
endotoxin reduction in cotton: preparation of yarn and fabric from detoxified cotton *Rousselle, Domelsmith* 469

Capillarity
deposition of liquid drops on a long cylindrical fiber: theoretical studies *Carroll* 495
of spreading liquids in textile assemblies: application of an image analyzer system to capillary spreading of liquids *Kawase, Morimoto, Fujii, Minagawa* 306
Carpets
electrostatic propensity of: objective measurements using the stroll test *Pailthorpe* 335
fluorochemical finishes for: ^{19}F-NMR spectrometric method for identifying the structure of the fluroaliphatic group *Fong* 304
heat set nylon 66 carpet yarns: thermal stress analysis of: effects of various Suessen heat setting variables on *Rodgers* 7
surfactant solution transport in wool carpet yarns: influence of scouring, prewetting, and rewetting surfactants *Trounson, McLaughlin, Robinson* 455
surfactant solution transport in wool carpet yarns: immersion absorption studies to better understand scouring *McLaughlin, Trounson, Stewart, McKinnon* 501
textural changes in: instrumental techniques to quantify: goniophotometry of carpet pile: reflectance measurements *Jose, Hollies, Spivak* 185
Catalysis
of peracetic acid bleaching solution: 2,2'-bipyridine catalyzed bleaching of cotton fibers: kinetics and mechanism of acid decomposition in bleach solution without fibers *Rucker, Cates* 148
of peracetic acid bleaching solution: 2,2'-bipyridine catalyzed bleaching of cotton fibers: bleaching mechanism *Rucker, Cates* 198
Cellophane
swelling treatments of: effect on fine structure and mechanical properties of film: increased crystallinity *Bhat, Makwana* 233
Cellulose
flax fiber crystalline ultrastructure: diffraction contrast TEM studies of ultrathin cross sections *Näslund, Vuong, Chanzy, Jésior* 414
from cottonseed linters: SEM and TEM studies *Hebert, Thibodeaux* 714
structure in amorphous regions: accessible segments of fibrils in the cotton fiber: crystallinity studies *Rowland, Howley* 96
Chromatography
of silk chlorinated and treated with mercaptans: methanesulfonyl chloride in dimethylformamide: creation of synthetic polymers to use as a stationary phase for affinity chromatography *Sakamoto, Kumeno, Deno, Yamauchi, Nishimoto, Furuhata, Masuko* 689
thin layer chromatography of internal lipids in wool: presence of glycolipids indicates a bilayer structure *Nogues, Coderch, Julia, Erra* 338
to study internal lipids in wool: thin layer chromatography with flame ionization detection *Leaver, Lewis, Westmoreland* 593
Clothing
dynamic moisture vapor transfer through: clothing hygrometry and the influence of fiber type: cotton, polyester, and blend *Hong, Hollies, Spivak* 697
Clothing, Protective
chemical protective glove liners: effect on sweat rate, comfort, and psychomotor task performance *Branson, Abusamra, Hoener, Rice* 166
firefighters' protective clothing: durability to heat and light: significant losses in physical strength *Day, Cooney, Suprunchuk* 141
nylon ballistics panels: penetration by fragment-simulating projectiles: a linear approximation to the relationship between the square of the striking velocity and the number of layers of cloth in the panel *Prosser* 61
nylon ballistics panels: penetration by fragment-simulating projectiles: mechanism of penetration *Prosser* ... 161
water vapor transmission through fabric barriers: dynamics of: apparatus to measure moisture sorption and flux through a fabric *Wehner, Miller, Rebenfeld* 581
Coatings
latex backcoated acrylic fabrics: heat transfer coefficients in drying of: energy conservation studies *Jinks, Matteson* 681
Color Fastness
of substituted diamino-2-methoxy-anthraquinone dyes: studies of polyester and other fibers *Ukponmwan* .. 181
Comfort
dynamic moisture vapor transfer through textiles: clothing hygrometry and the influence of fiber type: cotton, polyester, and blend *Hong, Hollies, Spivak* 697
evaporation rates: thickness of the still air layer adhering to perforated plastic plates and fabric *Tsubouchi* ... 86
of chemical protective glove liners: effect on sweat rate, comfort, and psychomotor task performance *Branson, Abusamra, Hoener, Rice* 166
Composites
pseudo-composite cotton/polyester blend yarn: new technique producing improved strength *Sawhney, Ruppenicker, Kimmel, Salaun, Robert* 601
of jute fibers: effect of chemical treatments on thermal behavior *Varma, Anantha Krishnan, Krishnamoorthy* 486
of jute fibers: effect of chemical treatments on moisture regain and mechanical properties *Varma, Anantha Krishnan, Krishnamoorthy* 537
rayon/nylon sheath-core bicomponent fiber: processability and mechanical and sorptive properties *Rabe, Collier, Collier* 735
Compression
of greasy wool: biaxial compression to high densities and subsequent storage: pressing of hot wool for long-term packing density *Walls* 137
of greasy wool: instrumented minimum volume presses yielding more grease and better compression over time: further studies with other wools *Walls* 102
of greasy wool: minimum volume pressing: increased grease recovery and lower energy costs *Walls* 43
of greasy wool: processing of greasy Merino wools compressed to very high densities *Walls* 191
Computer Techniques
robotics and computer vision: to investigate cotton/polyester blend yarn packages *Emery, Buchanan* 605

sonic digitizer: used to measure medullation in mohair *Blakeman, Lupton, Pfeiffer* 555

Contaminants

from wool scouring effluent: selective scouring of dirt from greasy wool: laboratory studies on the effect of greasy wool characteristics *Bateup* 667

from wool scouring effluent: trials at commercial plants: selective scouring of dirt from greasy wool *Bateup, Warner* 707

localized electrostatic precipitation of dust: alternative to exhaust ventilation for controlling airborne dust in textile workplaces: asbestos factory *Johnston, Hughson, Vincent, Jones* 619

in raw wool: characterization of proteinaceous contaminants extracted from Merino by isolation method *Elling, Souren, Zahn* 1

neps and motes in Pima cotton: ovule fibers as a possible source of *Elsner, Alon, Bar-Yecheskel* 269

removal from cotton fibers by heating at the gin: effects on chemical and physical properties and processing quality *Brushwood* 309

seed-coat fragments in ginned lint: effect of varieties, harvesting, and ginning practices *Anthony, Meredith, Williford, Mangialardi* 111

Cotton Dust

from rained-on cotton: chemical and microscopical studies of 1984 crop: high dust content *Berni, Sasser, Domelsmith, Perkins, Goynes* 515

Cotton Fabrics

dyed with anthraquinone dyes: color fading behavior due to environmental conditions: also silk *Saito, Minemura, Nanashima, Kashiwagi* 450

dyed with reactive dyes: infrared studies of the reaction products of phosphonated and carboxylated reactive dyes *Nkeonye, Rattee* 57

dyeing imperfections in: relationship of ginning and fiber properties to neps *Hughs, Lalor, Wahba* 557

dynamic moisture vapor transfer through: clothing hygrometry and the influence of fiber type: also polyester blend *Hong, Hollies, Spivak* 697

formaldehyde-free finishing agents for: tetracarboxylic acids as: catalyst, additive, and durability studies *Welch* 480

formaldehyde liberation from: influence of prolonged storage on: DP fabrics *Kottes Andrews, Reinhardt, Trask-Morrell* 255

formaldehyde release from DP fabrics: effect of condensation temperature on *Katovic, Soljacic* 552

free formaldehyde in: a vapor transport method for estimating in solutions of textile chemicals *Reinhardt, Kottes Andrews* 409

frictional characteristics of: studies of cotton, polyester, wool, and blends: friction in automated apparel assembly systems *Carr, Posey, Tincher* 129

from friction, rotor, and ring spun fillings: comparison of handle and mechanical properties *Lord, Radhakrishnaiah* 354

printing of polyester/cotton blends: sublimation transfer printing using melamine formaldehyde pretreatment *Chavan, Langer* 51

sodium hypochlorite bleaching of: optimization of a single-stage preparatory process: more comments *Militký* 672

water vapor transmission through: dynamics of: apparatus to measure moisture sorption and flux through a fabric barrier *Wehner, Miller, Rebenfeld* 581

Cotton Fibers

amorphous regions of: structure in accessible segments of fibrils: crystallinity studies *Rowland, Howley* 96

anatomy of neps in: result of immature fibers *Hebert, Boylston, Thibodeaux* 380

bleaching with peracetic acid: 2,2'-bipyridine catalyzed bleaching: kinetics and mechanism of acid decomposition in bleach solution without fibers *Rucker, Cates* 148

bleaching with peracetic acid: 2,2'-bipyridine catalyzed bleaching: the bleaching mechanism *Rucker, Cates* 198

cottonseed linters: an important source of high grade cellulose: SEM and TEM studies *Hebert, Thibodeaux* 714

endotoxin reduction in: preparation of yarn and fabric from detoxified cotton *Rousselle, Domelsmith* 469

ginned lint seed-coat fragments: effect of varieties, harvesting, and ginning practices *Anthony, Meredith, Williford, Mangialardi* 111

green motes in Pima cotton: bleaching using a combination process *Elsner, Bar-Yecheskel, Stern* 363

heating during ginning: effects on chemical and physical properties and processing quality *Brushwood* 309

lint cleaning: influence of strength and fineness on fiber damage *Dever, Gannaway, Baker* 433

neps and motes in Pima cotton: ovule fibers as a possible source of *Elsner, Alon, Bar-Yecheskel* 269

neps in ginned lint: effect of varieties, harvesting, and ginning practices *Anthony, Meredith, Williford* 633

rained-on cotton: chemical and microscopical analyses of 1984 crop in Mississippi *Berni, Sasser, Domelsmith, Perkins, Goynes* 515

selecting fiber properties for relating to yarn skein break factors: fitting reliable equations to HVI data *El Mogahzy* 392

spin finishes for: improved processing performance of weathered cottons *Perkins* 173

stabilization during mechanical cutting: inhibiting reduction of the degree of polymerization *Hon* 575

x-ray orientation of equatorial planes: swollen and stretched cellulosic fibers: also rayon *Sreenivasan, Krishna Iyer, Chidambareswaran, Patil* 299

Cotton Yarns

cotton/polyester blend with improved strength: new technique producing a pseudo-composite cotton-rich yarn *Sawhney, Ruppenicker, Kimmel, Salaun, Robert* 601

fiber blending irregularities in: cross sections and yarn surfaces: relation to yarn properties *Krucińska* 291

geometry and dimensional properties of plain loops: outline of problem and experimental approach: knits from rotor spun cotton yarns *Banerjee, Alaiban* 123

geometry and dimensional properties of plain loops: area and linear parameters: knits from rotor spun cotton yarns *Banerjee, Alaiban* 214

geometry and dimensional properties of plain loops: spirality of wale line: knits from rotor spun cotton yarns *Banerjee, Alaiban* 287

geometry and dimensional properties of plain loops: shape of the loop: knits from rotor spun cotton yarns *Banerjee, Alaiban* 365

geometry and dimensional properties of plain loops: length of loops: knits from rotor spun cotton yarns *Banerjee, Alaiban* 422

hairiness of: comparative evaluation by different methods *Viswanathan, Munshi, Ukidve, Chandran* 477

twisting of: predicting machine twist in rotor open-end spun yarns *Barella, Castro, Manich, de Castellar* 425

warp-breakage rate in gray cotton: model for prediction in cotton and other fibers *Aggarwal, Subramanian* ... 11

yarn package inspection: computer vision and robotics *Emery, Buchanan* 605

Crimping

of wool fibers: role of nonkeratinous proteins in crimp formation by draft and immediate relaxation process *Umehara, Shibata, Masuda, Ito, Miyamoto, Inagaki* 22

Crystallinity
of amorphous regions of cotton: structure in accessible segments of fibrils of the cotton fiber *Rowland, Howley* 96
x-ray orientation of equatorial planes: swollen and stretched cotton and rayon fibers *Sreenivasan, Krishna Iyer, Chidambareswaran, Patil* 299

Degradation
of polyacrylonitrile filters: basic studies of stability of filtration fabrics: effects of sulphur dioxide and nitrogen oxides *Weber, Altenhofen, Zahn* 507
oxidative degradation of cut cotton fibers: stabilization during mechanical cutting *Hon* 575
Differential Scanning Calorimetry
of acrylic fibers: change of water states and glass transition temperatures for dyeing *Hori, Zhang, Shimizu, Zollinger* 227
Diffusion
of cationic dyes on acrylic fibers: influence of dye size and fiber porosity on dyeing kinetics and time lags in dye uptake *Chen, Rohner, Zollinger* 247
Durable Press
formaldehyde-free finishing agents: tetracarboxylic acids as: catalyst, additive, and durability studies *Welch* 480
formaldehyde liberation from cotton fabrics: influence of prolonged storage time on *Kottes Andrews, Reinhardt, Trask-Morrell* 255
formaldehyde release from DP fabrics: effect of condensation temperature on *Katovic, Soljacic* 552
Dust
localized electrostatic precipitation: an alternative to exhaust ventilation for controlling airborne dust in textile workplaces: asbestos factory *Johnston, Hughson, Vincent, Jones* 619
Dyeing
by integration: dyeing of wool yarns and acrylic fibers by discrete additions of dye to the solution throughout the process *Cegarra, Puente, Valldeperas, Pepio* 645
kinetics of: influence of dye size and fiber porosity on kinetics and time lags in the uptake of cationic dyes on acrylic fibers *Chen, Rohner, Zollinger* 247
neps caused by ginning: relationship of ginning and fiber properties to dyeing imperfections *Hughs, Lalor, Wahba* 557
of acrylic fibers with varying porosities: change in water states and glass transition temperatures by DSC measurements *Hori, Zhang, Shimizu, Zollinger* ... 227
of nylon films with acid dyes: modified with various normal alkylamines *Kuwabara* 329
of wool carpet yarns: surfactant solution transport in: influence of scouring, prewetting, and rewetting surfactants *Trouson, McLaughlin, Robinson* 455
sublimation transfer printing: melamine formaldehyde pretreatment on polyester/cotton blends *Chavan, Langer* 51
Dyes
cationic dyes on acrylic fibers: Donnan approach to equilibrium sorption *Alberghina, Chen, Fisichella, Iijima, McGregor, Rohner, Zollinger* 345
color fading behavior of anthraquinone dyes: caused by environmental conditions: studies of cotton and silk *Saito, Minemura, Nanashima, Kashiwagi* 450
fastness properties of: substituted diamino-2-methoxy-anthraquinone dyes *Ukponmwan* 181
phosphonated and carboxylated reactive dyes: infrared studies of reaction products with cellulose *Nkeonye, Rattee* 57
Electrostatics
localized electrostatic precipitation: an alternative to exhaust ventilation for controlling airborne dust in textile workplaces: asbestos factory *Johnston, Hughson, Vincent, Jones* 619
of carpets: objective measurements using the stroll test *Pailthorpe* 335
Energy Conservation
in compression of hot greasy wool: biaxial compression to high densities and subsequent storage: better long-term packing density *Walls* 137
in compression of greasy wool: minimum volume concept: increased grease recovery and lower energy costs *Walls* 43
in compression of greasy wool: pressing a range of wools in instrumented minimum volume presses: further studies with other wools: increased grease yields and better compression over time *Walls* 102
in drying of latex backcoated acrylic fabrics: heat transfer coefficients *Jinks, Matteson* 681

Fabric Geometry
of cotton knits: outline of problem and experimental approach: geometry and dimensional properties of plain loops of rotor spun cotton *Banerjee, Alaiban* 123
of cotton knits: area and linear parameters: geometry and dimensional properties of plain loops of rotor spun cotton *Banerjee, Alaiban* 214
of cotton knits: spirality of the wale line: geometry and dimensional properties of plain loops of rotor spun cotton *Banerjee, Alaiban* 287
of cotton knits: shape of the loop: geometry and dimensional properties of plain loops of rotor spun cotton *Banerjee, Alaiban* 365
of cotton knits: length of loops: geometry and dimensional properties of plain loops of rotor spun cotton yarns *Banerjee, Alaiban* 422
Fabric Properties
statistical analysis of cotton fiber properties: fitting reliable equations to HVI data: regression analysis *El Mogahzy* 392
Fading
of anthraquinone dyes on cotton and silk: fading caused by environmental conditions *Saito, Minemura, Nanashima, Kashiwagi* 450
Fatigue
biaxial rotation fiber fatigue testing: free rise and fall tensioning system: failure by multiple splitting *Goksoy* 210
Felting
of wool fabrics: use of micellar systems as vehicles for Hercosett and hydrogen peroxide finishing *de la Maza, Parra, Sánchez Leal, Comelles* 571
Filtration
deposition of liquid drops on a long cylindrical fiber: theoretical studies *Carroll* 495
gas and solid apparatus: design using needle-bonded polypropylene fibers *Igwe* 280
stability of filtration fabrics: basic studies: deterioration of polyacrylonitrile by sulphur dioxide and nitrogen oxides *Weber, Altenhofen, Zahn* 507
structure of fabric filters: influence on velocity and stress fields of filtration flows in their vicinity *Cheikhrouhou, Sigli* 371
Finishing Agents
fluorochemical finishes: ^{19}F-NMR spectrometric method for identifying the structure of the fluoroaliphatic group *Fong* 304
formaldehyde-free DP finishes: tetracarboxylic acids on cotton fabric: catalyst, additive, and durability studies *Welch* 480
free formaldehyde in: a vapor transport method for estimating in solutions of textile chemicals *Reinhardt, Kottes Andrews* 409

spin finishes for cotton: improved processing performance of weathered cottons *Perkins* 173
Flame Resistance
firefighters' protective clothing: durability to heat and light: significant losses in physical strength *Day, Cooney, Suprunchuk* 141
Flax
crystalline ultrastructure of: diffraction contrast transmission electron microscopy of ultrathin cross sections *Näslund, Vuong, Chanzy, Jésior* 414
Formaldehyde
formaldehyde-free finishing agents: tetracarboxylic acids as: catalyst, additive, and durability studies *Welch* 480
in solutions of textile chemicals: vapor transport method for estimating free formaldehyde in *Reinhardt, Kottes Andrews* 409
liberated from cotton textiles: influence of prolonged storage time on DP fabrics *Kottes Andrews, Reinhardt, Trask-Morrell* 255
melamine formaldehyde pretreatment: sublimation transfer printing of polyester/cotton blends *Chavan, Langer* 51
release from DP fabrics: effect of condensation temperature on *Katovic, Soljacic* 552
treating wool: enhanced wet wrinkle recovery with gaseous formaldehyde *Needles, Okamoto, Alger* 427
Friction
in the mechanics of high speed texturing: theoretical analysis of ring twisting *Kang, Li, El-Shiekh* 653
of apparel fabrics: friction in automated apparel assembly systems: studies of polyester, cotton, wool, and blends *Carr, Posey, Tincher* 129

Ginning
cottonseed linters: a source of high grade cellulose: SEM and TEM studies *Hebert, Thibodeaux* 714
heating cotton fibers at the gin: effects on chemical and physical properties and processing quality of cotton *Brushwood* 309
lint cleaning of cotton fibers: influence of fiber strength and fineness on fiber damage *Dever, Gannaway, Baker* 433
neps in ginned lint: effect of varieties, harvesting, and ginning practices *Anthony, Meredith, Williford* 633
relationship to dyeing imperfections: also fiber properties: neps caused by ginning *Hughs, Lalor, Wahba* 557
seed-coat fragments in lint: effect of varieties, harvesting, and ginning practices *Anthony, Meredith, Willifjord, Mangialardi* 111
Glass Transition Temperature
of various acrylic fibers: change of water states by DSC measurements: dyeing mechanism *Hori, Zhang, Shimizu, Zollinger* 227
Goniophotometry
of carpet pile: instrumental techniques to quantify textural changes in carpet: reflectance measurements *Jose, Hollies, Spivak* 185

Hairiness
of cotton yarns: comparative evaluation by different methods *Viswanathan, Munshi, Ukidve, Chandran* 477
of wool sized yarns: a nonaqueous method for: preliminary work: reduced hairiness and fabric stitching faults *Nason* 116
Handle
objective evaluation from mechanical properties: objective measure for total handle: a new approach *Pan, Yen, Zhao, Yang* 438
objective evaluation from mechanical properties: objective measure for primary handle: a new approach *Pan, Yen, Zhao, Yang* 531
objective evaluation from mechanical properties: fuzzy cluster analysis for fabric handle sorting *Pan, Yen, Zhao, Yang* 565
of cotton fabrics from friction, rotor, and ring spun fillings: comparison of handle and mechanical properties *Lord, Radhakrishnaiah* 354
of spandex fabrics: durability of hand in spandex-wool and wool/polyester blends: study of wear and mechanical degradation *Yokura, Niwa* 398
Heat Setting
of nylon 66 carpet yarns: thermal stress analysis of: effects of various heat setting variables *Rodgers* 7
of PET: thermal analysis of PET and heat setting temperature *Sarma, Patel* 429
Heat Transfer
in drying latex backcoated acrylic fabrics: energy conservation studies: heat transfer coefficients *Jinks, Matteson* 681
Humidity
moisture transfer in the diffusion zone: thickness of the still air layer adhering to perforated plastic plates and fabric *Tsubouchi* 86

Infrared
Fourier transform infrared spectroscopy of polyethylene: oxidation behavior of high strength chain-extended fibers *Carlsson, Colin, Chmela, Wiles* 520
Interferometry
of nylon 66 fibers: analysis of the refractive index distribution in anisotropic polymeric fibers with regular and irregular transverse sectional shapes *Hamza, Fouda, El-Farhaty* 35

Jute
mechanical properties and moisture regain of: effect of chemical treatments on *Varma, Anantha Krishnan, Krishnamoorthy* 537
thermal behavior of: effect of various chemical treatments *Varma, Anantha Krishnan, Krishnamoorthy* 486

Keratin
effects of heat and chrome mordanting on: carbon-13 CPMAS solid state NMR spectroscopic study of wool *Carr, Gerasimowicz* 418
formation of copper(II)-wool keratin complexes: method of potentiometric titrations *Fukatsu* 91
nonkeratinous proteins in wool fibers: role in crimp formation using draft and immediate relaxation technique *Umehara, Shibata, Masuda, Ito, Miyamoto, Inagaki* 22
Kinetics
and mechanism of peracetic acid decomposition in bleach solution: 2,2'-bipyridine catalyzed bleaching *Rucker, Cates* 148
of spreading liquids in textile assemblies: application of an image analyzer system to capillary spreading of liquids *Kawase, Morimoto, Fujii, Minagawa* 306
Knits
from rained-on cotton: chemical and microscopical analyses of 1984 crop in Mississippi *Berni, Sasser, Domelsmith, Perkins, Goynes* 515
of rotor spun cotton yarns: outline of problem and experimental approach: geometry and dimensional properties of plain loops *Banerjee, Alaiban* 123
of rotor spun cotton yarns: area and linear parameters: geometry and dimensional properties of plain loops *Banerjee, Alaiban* 214
of rotor spun cotton yarns: spirality of the wale line: ge-

ometry and dimensional properties of plain loops *Banerjee, Alaiban* ... 287
of rotor spun cotton yarns: shape of the loop: geometry and dimensional properties of plain loops *Banerjee, Alaiban* ... 365
of rotor spun cotton yarns: length of loops: geometry and dimensional properties of plain loops *Banerjee, Alaiban* ... 422
pilling of wool knitwear: effect of relative humidity: a cause of increased pilling *Naylor* ... 615

Light Phenomena
textural changes in carpet: instrumental techniques to quantify: goniophotometry of carpet pile: reflectance measurements *Jose, Hollies, Spivak* ... 185
Light Stabilization
of wool textiles: Raman spectroscopic studies: analytical potential of *Leaver, Hester, Girling* ... 182
Lipids
analysis of internal lipids in wool: thin layer chromatography with flame ionization detection *Leaver, Lewis, Westmoreland* ... 593
internal lipid composition of wool: presence of glycolipids indicates a bilayer structure *Nogues, Coderch, Julia, Erra* ... 338
Liquid Flow
deposition of liquid drops on a long cylindrical fiber: theoretical studies *Carroll* ... 495
Looms
rapier filling insertion: a kinematic model *Tümer, Dawson* ... 726
shedding cam design: pressure angle in: mathematical analysis *Gu* ... 444
Luster
goniophotometry of carpet pile: instrumental techniques to quantify textural changes in carpet *Jose, Hollies, Spivak* ... 185

Mathematical Analysis
formation of copper(II)-wool keratin complexes: method of potentiometric titrations *Fukatsu* ... 91
of drying of latex backcoated acrylic fabrics: heat transfer coefficients: conservation studies *Jinks, Matteson* 681
of fabric handle: objective measure for total handle using the weighted Euclidean distance *Pan, Yen, Zhao, Yang* 438
of fabric handle: objective measures for primary handle *Pan, Yen, Zhao, Yang* ... 531
of fabric handle: fuzzy cluster analysis for fabric handle sorting: objective evaluation *Pan, Yen, Zhao, Yang* 565
of loom shedding cam design: pressure angle in *Gu* ... 444
of nylon ballistic panels: penetration by fragment-simulating projectiles: a linear approximation to the relationship between the square of the striking velocity and the number of layers of cloth in the panel *Prosser* ... 61
of ramie chemical degumming: optimizing the complex formulation of boiling-off liquor *Zheng, Zhang, Luo* 663
of refractive index distribution: anisotropic polymeric fibers with regular and irregular transverse sectional shapes *Hamza, Fouda, El-Farhaty* ... 35
of ring twisting: mechanics of high speed texturing *Kang, Li, El-Shiekh* ... 653
of rotor yarn structure: cross-sectional microtomy to study radial packing density of polyester and rayon yarns *Neckář, Ishtiaque, Švehlová* ... 625
predicting warp-breakage rate: gray cotton yarns and other fibers during weaving *Aggarwal, Subramanian* ... 11
pilot slasher drying model: develops a relationship between yarn speed and exit moisture *Haas, Reed, Williams* 27
rapier filling insertion: a kinematic model *Tümer, Dawson* ... 726
theoretical model of dyeing by integration: discrete additions of dye to the solution throughout the process: dyeing of wool and acrylics *Cegarra, Puente, Valldeperas, Pepio* ... 645
water vapor transmission through fabric barriers: dynamics of: apparatus to measure moisture sorption and flux through a fabric *Wehner, Miller, Rebenfeld* ... 581
Mechanical Properties
as an evaluation of fabric handle: objective measure for total handle: weighted Euclidean distance *Pan, Yen, Zhao, Yang* ... 438
as an evaluation of fabric handle: objective measures for primary handle *Pan, Yen, Zhao, Yang* ... 531
as an evaluation of fabric handle: fuzzy cluster analysis for fabric handle sorting *Pan, Yen, Zhao, Yang* ... 565
of cellophane film: effects of swelling treatments on fine structure and mechanical properties: increased crystallinity *Bhat, Makwana* ... 233
of cotton/polyester blended yarns: fiber blending irregularities in cross sections and yarn surfaces *Krucińska* 291
of nylon 6/PET blends: increased PET increases modulus and tenacity *Varma, Dhar* ... 274
Medullation
in mohair: a sonic digitizer technique for measuring *Blakeman, Lupton, Pfeiffer* ... 555
Microscopy
diffraction contrast TEM: flax fiber ultrathin cross sections: crystalline ultrastructure *Näslund, Vuong, Chanzy, Jésior* ... 414
studies of splice zone: mechanism of the splice on a pneumatic machine *Kaushik, Hari, Sharma* ... 263
transmission electron technique: to study wool fibers after cuticle removal: also x-ray photoelectron spectroscopy *Dowling, Jones, Leaver, Hughes* ... 640
wool snippets for projection microscopy: length for mean fiber diameter measurement *Thompson, Teasdale* 303
Mohair
medullation in: a sonic digitizer technique for measuring *Blakeman, Lupton, Pfeiffer* ... 555
Moisture Regain
of jute fibers: effect of chemical treatments on mechanical properties and regain *Varma, Anantha Krishnan, Krishnamoorthy* ... 537
of jute fibers used in composites: effect of chemical treatments on thermal behavior *Varma, Anantha Krishnan, Krishnamoorthy* ... 486
Moisture Transfer
dynamic moisture vapor transfer through textiles: clothing hygrometry and the influence of fiber type: cotton, polyester, and blend *Hong, Hollies, Spivak* ... 697
in the zone of diffusion above samples: thickness of the still air layer adhering to perforated plastic plates and fabric *Tsubouchi* ... 86
water vapor transmission through fabric barriers: dynamics of: apparatus to measure moisture sorption and flux through a fabric *Wehner, Miller, Rebenfeld* ... 581

Needles
in sewing dynamics: measuring sewing machine forces at high speeds *Matthews, Little* ... 383
Needling
needle-bonded polypropylene fibers as filters: design of a simple gas and solid filtration apparatus *Igwe* ... 280
Neps
anatomy of a nep: a result of immature fibers in cotton *Hebert, Boylston, Thibodeaux* ... 380
caused by ginning: relationship of ginning and fiber properties to dyeing imperfections *Hughs, Lalor, Wahba* 557
from lint cleaning of cotton: influence of fiber strength and fineness on fiber damage *Dever, Gannaway, Baker* 433

green motes in Pima cotton: bleaching of using a combination process *Elsner, Bar-Yecheskel, Stern* 363
in ginned lint: effect of varieties, harvesting, and ginning practices *Anthony, Meredith, Williford* 633
in heated cotton fibers: effect of heating on chemical and physical properties and processing quality *Brushwood* 309
in Pima cotton: ovule fibers as a possible source of colored motes *Elsner, Alon, Bar-Yecheskel* 269
in rotor spun polyester yarn: configuration of *Ishtiaque, Saxena* 678
Nonwovens
air permeability of: blended fabrics of wool, jute, acrylics, and others *Subramaniam, Madhusoothanan, Debnath* 677
Nuclear Magnetic Resonance
study of heat and chrome mordanting effects on wool: carbon-13 CPMAS solid state NMR spectroscopic study *Carr, Gerasimowicz* 418
Nylon
ballistic panels: penetration by fragment-simulating projectiles: a linear approximation to the relationship between the square of the striking velocity and the number of layers of cloth in the panel *Prosser* 61
ballistics panels: penetration by fragment-simulating projectiles: mechanism of penetration *Prosser* 161
dyed films: dyeing with acid dyes modified with various normal alkylamines *Kuwabara* 329
heat set nylon 66 carpet yarns: thermal stress analysis of: effects of various Suessen heat setting variables on *Rodgers* 7
nylon 6/PET blends: mechanical properties of the fibers: increased PET increases modulus and tenacity *Varma, Dhar* 274
rayon/nylon composite fiber: processability and mechanical and sorptive properties: sheath-core bicomponent fiber *Rabe, Collier, Collier* 735
refractive index distribution of: analysis of anisotropic polymeric fibers with regular and irregular transverse sectional shapes *Hamza, Fouda, El-Farhaty* 35

Optics
laser Doppler velocimeter technique: influence of the structure of fabric filters on the velocity and stress fields of filtration flows in their vicinity *Cheikhrouhou, Sigli* 371
Oxidation
of polyethylene fibers: oxidation behavior of high strength chain-extended fibers *Carlsson, Colin, Chmela, Wiles* 520

Permeability
air permeability of nonwovens: blended fabrics of wool, jute, acrylics, and others *Subramaniam, Madhusoothanan, Debnath* 677
moisture transfer in perforated plastic plates: thickness of the still air layer adhering to the plates and fabric *Tsubouchi* 86
of needle-bonded polypropylene fibers: design of a simple gas and solid filtration apparatus *Igwe* 280
Pilling
of wool knitwear: effect of relative humidity: a cause of increased pilling *Naylor* 615
Pollutants
from wool scouring effluent: selective scouring of dirt from greasy wool: laboratory studies of the effect of greasy wool characteristics *Bateup* 667
from wool scouring effluent: selective scouring of dirt from greasy wool: trials at commercial plants *Bateup, Warner* 707
in scouring effluent: particle size analysis of inorganic dirt in raw wool *Ferrero, Marchese, Fornaro* 526

Polyacrylonitrile
stability of filtration fabrics: basic studies: deterioration by sulphur dioxide and nitrogen oxides *Weber, Altenhofen, Zahn* 507
Polyamides
air-jet textured yarns: effects of process and supply yarn parameters on properties: also polyester *Demir, Acar, Wray* 318
Polyester
ageing and annealing in polyester and wool blends: master stress relaxation curves for fibers and textile materials *Sukigara, Dhingra, Postle, Tao* 543
and cotton blended yarns: model to predict warp-breakage rate in cotton and other fibers *Aggarwal, Subramanian* 11
and rayon blends: fiber damage at high rotor speeds *Ishtiaque* 179
and silk blended fabrics: shear behavior of: an apparatus for studying *Subramaniam, Sivakumar* 430
air-jet textured yarns: effects of process and supply yarn parameters on properties: also polyamide *Demir, Acar, Wray* 318
color fastness of dyes on: properties of substituted diamino-2-methoxy-anthraquinone dyes *Ukponmwan* 181
cotton/polyester blend with improved strength: new technique producing a pseudo-composite cotton-rich yarn *Sawhney, Ruppenicker, Kimmel, Salaun, Robert* 601
dynamic moisture vapor transfer through: clothing hygrometry and the influence of fiber type: also cotton and blend *Hong, Hollies, Spivak* 697
fiber blending irregularities in: cross sections and yarn surfaces of cotton and polyester blends: relation to yarn properties *Krucińska* 291
frictional characteristics of: studies of cotton, polyester, wool, and blends: friction in automated apparel assembly systems *Carr, Posey, Tincher* 129
high speed texturing of: experimental studies of belt and ring twisting *Li, Kang, El-Shiekh* 719
neps in: configuration of neps in rotor spun yarn from polyester fibers *Ishtiaque, Saxena* 678
printing of polyester/cotton blends: sublimation transfer printing using melamine formaldehyde pretreatment *Chavan, Langer* 51
rotor yarn structure of: cross-sectional microtomy to study radial packing density: mathematical model *Neckář, Ishtiaque, Švehlová* 625
spandex-wool and polyester blends: durability of handle: wear test and mechanical degradation *Yokura, Niwa* 398
splicing of: mechanism of the splice on a pneumatic machine: microscopic studies of the splice zone *Kaushik, Hari, Sharma* 263
splicing of: quantitative contribution of splice elements *Kaushik, Hari, Sharma* 343
strength at theoretically null twist: application to prediction of machine twist: also acrylic yarns *Manich, de Castellar, Barella, Castro* 238
water vapor transmission through: dynamics of: apparatus to measure moisture sorption and flux through a fabric barrier *Wehner, Miller, Rebenfeld* 581
Polyethylene
oxidation behavior of: high strength chain-extended fibers *Carlsson, Colin, Chmela, Wiles* 520
Poly(ethylene Terephthalate)
heat set PET: thermal analysis of and heat setting temperature *Sarma, Patel* 429
nylon 6/PET blends: mechanical properties of the fibers: increased PET increases modulus and tenacity *Varma, Dhar* 274
Polymerization
degree of in cut cotton fibers: stabilization during mechanical cutting *Hon* 575

Polymers
creation of synthetic polymers from silk: chlorination of silk with methanesulfonyl chloride in dimethylformamide and treating with mercaptans: chromatography study *Sakamoto, Kumeno, Deno, Yamauchi, Nishimoto, Furuhata, Masuko* 689
Polypropylene
needle-bonded fibers as filter fabrics: design of a simple gas and solid filtration apparatus *Igwe* 280
Porosity
of acrylic fibers in dyeing: influence of dye size and fiber porosity on the dyeing kinetics and time lags in the uptake of cationic dyes *Chen, Rohner, Zollinger* 247
of fabric filters: influence of structure on velocity and stress fields of filtration flows in their vicinity *Cheikhrouhou, Sigli* 371
Printing
sublimation transfer printing: polyester/cotton blends: melamine formaldehyde pretreatment *Chavan, Langer* 51
Proteins
contaminants in raw Merino wool: characterization of proteinaceous contaminants extracted by isolation method *Elling, Souren, Zhan* 1
nonkeratinous proteins in wool fibers: role in crimp formation by draft and immediate relaxation process *Umehara, Shibata, Masuda, Ito, Miyamoto, Inagaki* 22

Ramie
chemical degumming of: optimizing the complex formulation of boiling-off liquor *Zheng, Zhang, Luo* 663
Rayon
fiber configuration in rotor spun yarn: influence of yarn formation process on *Chattopadhyay* 674
rayon/nylon composite fiber: processability and mechanical and sorptive properties: sheath-core bicomponent fiber *Rabe, Collier, Collier* 735
rotor yarn structure of: cross-sectional microtomy to study radial packing density: mathematical model *Neckář, Ishtiaque, Švehlová* 625
wicking in Siro spun yarns: compactness of structure and increased fiber packing density *Subramaniam, Natarajan, Peer Mohammed, Nirmala Many* 302
x-ray orientation of equatorial planes: swollen and stretched cellulosic fibers: also cotton fibers *Sreenivasan, Krishna Iyer, Chidambareswaran, Patil* 299
Reflectance
goniophotometry of carpet pile: instrumental techniques to quantify textural changes in carpet *Jose, Hollies, Spivak* 185
Resistivity
electrostatic propensity of carpets: objective measurements using the stroll test *Pailthorpe* 335
Robotics
for yarn package inspection: used with computer vision for cotton/polyester blend yarn packages *Emery, Buchanan* 605

Scouring
contaminants from Merino raw wool: characterization of proteinaceous contaminants extracted by isolation method *Elling, Souren, Zahn* 1
inorganic dirt in raw wool: particle size analysis of: ecological problems of scouring effluent *Ferrero, Marchese, Fornaro* 526
of wool carpet yarns: surfactant solution transport in: immersion absorption studies *McLaughlin, Trounson, Stewart, McKinnon* 501
selective scouring of dirt from greasy wool: laboratory studies of the effect of greasy wool characteristics *Bateup* 667
selective scouring of dirt from greasy wool: trials at commercial plants *Bateup, Warner* 707
Sewing
dynamics of: measuring sewing machine forces at high speeds *Matthews, Little* 383
Shear Stress
an apparatus for studying: constant shear strain monitor *Subramaniam, Sivakumar* 430
Shrinkage
relaxation shrinkage of wool fabrics: a quick test for measuring fabric dimensional stability using a microwave oven and ruler *Ly, Denby, Hoschke* 463
Shrinkproofing
of wool fabrics: use of micellar systems as vehicles for Hercosett and hydrogen peroxide finishing *de la Maza, Parra, Sánchez Leal, Comelles* 571
Silk
and polyester blends: an apparatus for studying the shear behavior of *Subramaniam, Sivakumar* 430
chlorinating of: methanesulfonyl chloride in dimethylformamide and treating chlorinated silk with mercaptans *Sakamoto, Kumeno, Deno, Yamauchi, Nishimoto, Furuhata, Masuko* 689
dyed with anthraquinone dyes: color fading behavior due to environmental conditions: also cotton *Saito, Minemura, Nanashima, Kashiwagi* 450
Sizing
of wool yarns: a nonaqueous method for: preliminary work: reduced hairiness and fabric stitching faults *Nason* 116
pilot slasher: yarn drying model identification to develop relationship between yarn speed and exit moisture *Haas, Reed, Williams* 27
Solvents
as a cause of photoyellowing of wool: pretreatment with chlorinated solvents *Mansour, Cornell, Holt* 246
effect on sorption of carboxylic acids by wool: comparison of acidic, basic, and neutral solvents *Fleischfresser, Smith* 221
Sorption
equilibrium sorption of cationic dyes by acrylics: Donnan approach to *Alberghina, Chen, Fisichella, Iijima, McGregor, Rohner, Zollinhger* 345
water vapor transmission through fabric barriers: dynamics of: apparatus to measure moisture sorption and flux through a fabric *Wehner, Miller, Rebenfeld* 581
Spectroscopy
carbon-13-CPMAS solid state NMR study of wool: effects of heat and chrome mordanting on *Carr, Gerasimowicz* 418
^{19}F-NMR method: identifying the structure of the fluoroaliphatic group in fluorochemical finishes for carpets *Fong* 304
Fourier transform infrared spectroscopy of polyethylene: oxidation behavior of high strength chain-extended fibers *Carlsson, Colin, Chmela, Wiles* 520
Raman technique: analytical potential in wool textile research *Leaver, Hester, Girling* 182
x-ray photoelectron technique: to study wool fibers after cuticle removal: also TEM studies *Dowling, Jones, Leaver, Hughes* 640
Spinning
comparison of fabrics from friction, rotor, and ring spun cotton fillings: study of handle and mechanical properties *Lord, Radhakrishnaiah* 354
fiber damage at high rotor speeds: studies of polyester/rayon blends *Ishtiaque* 179

new technique to produce a pseudo-composite yarn: cotton/polyester blend with improved strength *Sawhney, Ruppenicker, Kimmel, Salaun, Robert* 601
rotor spun yarns: influence of yarn formation process on fiber configuration *Chattopadhyay* 674
spin finishes for cotton: improved processing performance of weathered cottons *Perkins* 173

Statistical Methods
of evaluating yarn hairiness: comparative evaluation of cotton yarns by different methods *Viswanathan, Munshi, Ukidve, Chandran* 477
regression equations for relating cotton fiber and fabric properties: selecting properties for fitting reliable equations to HVI data *El Mogahzy* 392

Stress-Relaxation
of wool, polyester, and blends: ageing and annealing in: master stress relaxation curves for fibers and textile materials *Sukigara, Dhingra, Postle, Tao* 543

Stretch Fabrics
spandex-wool and polyester blends: durability of hand: wear test and mechanical degradation *Yokura, Niwa* 398

Surfactants
solution transport in wool carpet yarns: influence of scouring, prewetting, and rewetting surfactants *Trouson, McLaughlin, Robinson* 455
solution transport in wool carpet yarns: immersion absorption studies to better understand scouring *McLaughlin, Trounson, Stewart, McKinnon* 501

Swelling
hygral expansion of wool fibers: a quick test for measuring fabric dimensional stability using a microwave oven and a ruler *Ly, Denby, Hoschke* 463
of cellophane film: effect on fine structure and mechanical properties: increased crystallinity *Bhat, Makwana* 233
of wool fibers by carboxylic acids: effect of solvents: comparison of acidic, basic, and neutral solvents *Fleischfresser, Smith* 221

Tensile Properties
of nylon ballistic panels: penetration by fragment-simulating projectiles: method of penetration *Prosser* ... 161

Tension
yarn tension as a function of extension: comments on: a new approach *Hearle* 60
yarn tension as a function of extension: reply to comments on *Nachane, Krishna Iyer* 122

Testing Apparatus
for biaxial rotation fiber fatigue: alternative design: free rise and fall tensioning system producing failure by multiple splitting *Goksoy* 210

Texturing
air-jet textured yarns: effect of process and supply yarn parameters of properties *Demir, Acar, Wray* 318
mechanics of high speed texturing: theoretical analysis of ring twisting *Kang, Li, El-Shiekh* 653
mechanics of high speed texturing: experimental studies of belt and ring twisting *Li, Kang, El-Shiekh* 719

Thermal Analysis
thermal stress analysis: effects of various Suessen heat setting variables on nylon 66 carpet yarns *Rodgers* ... 7

Thermal Properties
of chemical protective glove liners: effect on sweat rate, comfort, and psychomotor task performance *Branson, Abusamra, Hoener, Rice* 166

Thermal Shrinkage
of firefighters' protective clothing: durability to heat and light: study of several fabrics: significant losses in physical strength *Day, Cooney, Suprunchuk* 141

Toxicity
endotoxin reduction in cotton: preparation of yarn and fabric from detoxified cotton *Rousselle, Domelsmith* 469

Triboelectric Effects
of shoe sole materials on carpets: electrostatic propensity of carpets: objective measurement of *Pailthorpe* .. 335

Twisting
theoretical analysis of ring twisting: mechanics of high speed texturing *Kang, Li, El-Shiekh* 653
experimental studies of belt and ring twisting: mechanics of high speed texturing *Li, Kang, El-Shiekh* 719
of acrylic and polyester/cotton yarns: strength at theoretically null twist: application to prediction of machine twist *Manich, de Castellar, Barella, Castro* 238
of cotton yarns: predicting machine twist in rotor open-end spun yarns *Barella, Castro, Manich, de Castellar* 425
yarn tension as a function of extension: comments on: a new approach *Hearle* 60
yarn tension as a function of extension: reply to comments on *Nachane, Krishna Iyer* 122

Weathering
of cotton bolls: neps in ginned lint: effect of varieties, harvesting, and ginning practices *Anthony, Meredith, Williford* 633
of wool fleeces: analysis of wool lipids using thin layer chromatography with flame ionization detection *Leaver, Lewis, Westmoreland* 593
rained-on cotton: chemical and microscopical analyses of 1984 Mississippi crop *Berni, Sasser, Domelsmith, Perkins, Goynes* 515

Weaving
loom shedding cam design: pressure angle in: mathematical analysis *Gu* 444
of sized wool yarns: a nonaqueous method for sizing: preliminary work: reduced hairiness and fabric stitching faults *Nason* 116
pilot slasher: model identification to develop relationship between yarn speed and exit moisture *Haas, Reed, Williams* 27
rapier filling insertion: a kinematic model *Tümer, Dawson* 726
warp-breakage rate in: model for prediction in gray cotton and other fibers *Aggarwal, Subramanian* 11

Wetting
spreading of liquids in textile assemblies: application of an image analyzer system to capillary spreading of liquids *Kawase, Morimoto, Fujii, Minagawa* 306

Whitening
of shrinkproofed wool: use of micellar systems as vehicles for Hercosett and hydrogen peroxide finishing *de la Maza, Parra, Sánchez Leal, Comelles* 571

Wicking
in Siro spun rayon yarns: compactness of structure and increased fiber packing density *Subramaniam, Natarajan, Peer Mohammed, Nirmala Many* 302
of wool carpet yarns: influence of scouring, prewetting, and rewetting surfactants: surfactant solution transport in *Trouson, McLaughlin, Robinson* 455
of wool carpet yarns: immersion absorption studies to better understand yarn scouring: surfactant solution transport in *McLaughlin, Trounson, Stewart, McKinnon* 501

Winding
mechanism of the splice in: pneumatic splicer: microscopic studies of the splice zone *Kaushik, Hari, Sharma* 263
splicing of yarns in: quantitative contribution of splice elements *Kaushik, Hari, Sharma* 343

Wool Fabrics
ageing and annealing in fibers and textiles: master stress relaxation curves for wool, polyester, and blends *Sukigara, Dhingra, Postle, Tao* 543
dimensional stability of: a quick test for measuring using a microwave oven and a ruler *Ly, Denby, Hoschke* 463
frictional characteristics of: studies of cotton, polyester, wool, and blends: friction in automated apparel assembly systems *Carr, Posey, Tincher* 129
in firefighters' protective clothing: durability to heat and light: study of several fabrics: significant losses in physical strength *Day, Cooney, Suprunchuk* 141
photoyellowing of: pretreated with chlorinated solvents *Mansour, Cornell, Holt* 246
pilling of wool knitwear: effect of relative humidity: a cause of increased pilling *Naylor* 615
Raman spectroscopy of: analytical potential in studies on light stabilizers *Leaver, Hester, Girling* 182
shrinkproofing of: use of micellar systems as vehicles for Hercosett and hydrogen peroxide finishing *de la Maza, Parra, Sánchez Leal, Comelles* 571
spandex-wool and polyester blends: durability of hand: wear test and mechanical degradation *Yokura, Niwa* 398
wet wrinkle recovery of: treatment with gaseous formaldehyde *Neeldes, Okamoto, Alger* 427

Wool Fibers
acid dyeing of: dyeing nylon films with acid dyes modified with various normal alkylamines: data also gathered on wool *Kuwabara* 329
after cuticle removal: TEM and x-ray photoelectron spectroscopic studies *Dowling, Jones, Leaver, Hughes* .. 640
analysis of internal lipids: thin layer chromatography with flame ionization detection *Lever, Lewis, Westmoreland* 593
compression of greasy wool: minimum volume pressing: increased grease recovery and lower energy costs *Walls* 43
contaminants extracted from raw wool: characterization of proteinaceous contaminants from Merino by isolation method *Elling, Souren, Zahn* 1
crimp formation of: role of nonkeratinous proteins in: draft and immediate relaxation technique *Umehara, Shibata, Masuda, Ito, Miyamoto, Inagaki* 22
dyeing by integration: discrete additions of dye to the solution throughout the process: also acrylic fibers *Cegarra, Puente, Valldeperas, Pepio* 645
effects of heat and chrome mordanting on: carbon-13 CPMAS solid state NMR spectroscopic study *Carr, Gerasimowicz* 418
greasy wool compressed to very high densities: processing of Merino in minimum volume presses *Walls* 191
inorganic dirt in: particle size analysis of: ecological problem of scouring effluent *Ferrero, Marchese, Fornaro* 526
internal lipid composition of: presence of glycolipids indicates bilayer structure *Nogues, Coderch, Julia, Erra* 338
keratin complexes in: formation of copper(II)-wool keratin complexes to modify fabric properties *Fukatsu* 91
pressing of hot greasy wool: biaxial compression to high densities and subsequent storage: long-term packing density *Walls* 137
pressing in minimum volume presses: instrumented presses yielding more grease with better compression over time: further studies with other wools *Walls* 102
selective scouring of dirt from greasy wool: laboratory studies on the effect of greasy wool characteristics *Bateup* 667
selective scouring of dirt from greasy wool: trials at commercial plants *Bateup, Warner* 707
snippets for mean fiber diameter: length for measurement *Thompson, Teasdale* 303
swelling by carboxylic acids: effects of solvents: comparison of acidic, basic, and neutral solvents *Fleischfresser, Smith* 221

Wool Yarns
nonaqueous method for sizing: preliminary work: reduced hairiness and fabric stitching faults *Nason* 116
surfactant solution transport in carpet yarns: influence of scouring, prewetting, and rewetting surfactants *Trounson, McLaughlin, Robinson* 455
surfactant solution transport in carpet yarns: immersion absorption studied to better understand yarn scouring *McLaughlin, Trounson, Stewart, McKinnon* 501

Wrinkle Recovery
of wet wool enhanced by treatment with gaseous formaldehyde *Needles, Okamoto, Alger* 427

X-Ray Techniques
diffraction of amorphous regions of cotton fibrils: structure in accessible segments of the fiber: crystallinity studies *Rowland, Howley* 96
orientation of equatorial planes: swollen and stretched cotton and rayon fibers *Sreenivasan, Krishna Iyer, Chidambareswaran, Patil* 299
to study wool fibers after cuticle removal: TEM and x-ray photoelectron spectroscopic studies *Dowling, Jones, Leaver, Hughes* 640

Yarns
air-jet textured polyester and polyamide: effects of process and supply yarn parameters on properties *Demir, Acar, Wray* 318
fiber blending irregularities in: cross sections and yarn surfaces of cotton and polyester blends: relation to yarn properties *Krucińska* 291
rotor yarn structure: cross-sectional microtomy to study the radial packing density of yarn: mathematical model *Neckář, Ishtiaque, Švehlová* 625
tension as a function of extension: comments on: a new approach *Hearle* 60
tension as a function of extension: reply to comments on *Nachane, Krishna Iyer* 122

Yellowing
of wool pretreated with chlorinated solvents: result of solvent retention *Mansour, Cornell, Holt* 246